

## Scientists Conclude Child's Brain & Inner Ear Undergo Serious Risk When Exposed to Wireless

*National advocacy group correlates children's exposure to wireless radiation as a risk factor for developing Sensory Processing Disorder (SPD).*

**April 13, 2016 - [PRLog](#)** -- The amount of wireless radiation in our environment is staggering. Wireless radiation is emitted from devices such as cell phones, laptops, Wi-Fi routers, baby monitors and more. Children of all ages are seen placing wireless devices up against their heads and bodies without any thought given to the potential harm this may cause.

SPD is a neurological condition affecting many children. Conservative estimates indicate 1 in 20 (Miller 2004) suffer from SPD while a more recent study (Ben-Sasson, Briggs-Gowan 2009) shows 1 and 6 are affected.

All of our senses are closely linked and work in concert with the brain to achieve normal sensory integration. When a child suffers from SPD, their brain is either not receiving sensory input or not processing sensory input accurately. SPD can be a debilitating condition impacting a child's safety, self esteem, relationships, daily routines / activities, and overall quality of life.

Here are a few examples of the variety of challenges a child with SPD might face - reacts strongly to having their hair washed or nails trimmed; finds clothing uncomfortable or even painful especially certain fabrics, seams, and tags; grasps objects too tightly or uses too much force; fears heights, avoids swings and slides; distracted by noises / overly sensitive to sounds; chews on clothing and other non-food items; has poor handwriting and; bumps or crashes into objects intentionally.

The evidence suggests exposing children to wireless radiation puts them at risk for developing SPD:

- According to leading experts such as Dr. Martin Pall, exposure to RF-EMF is the primary cause of Autism. The majority of children with Autism, have SPD. In fact, it is one of the main indicators doctors use to diagnose Autism.
- Sensory up-regulation is very common in people who suffer from Electro Hypersensitivity (EHS). This includes hyper-sensitivity to light, sounds, smells, tastes, skin sensitivity and multiple chemical sensitivities.
- Scientific evidence clearly indicates the inner ear (vestibular apparatus) is highly vulnerable to the impacts of exposure to wireless radiation. Damage to the vestibular sense can be very serious - since it is the foundation for all other senses of the body. Wireless radiation has also been shown to cause direct harm to the other senses such as hearing and vision.

A spokesperson for the National Association for Children and Safe Technology (NACST) states, "Preventing SPD is yet another very important reason to protect children from wireless radiation."

For more information on this topic please visit: <http://www.nacst.org/sensory-processing-disorder.html>

Contact NACST: [contact@nacst.org](mailto:contact@nacst.org)

References:

**Markov, M. & Gregoriev, G.** (2015). Protect Children From EMF. Electromagnetic Biology and Medicine. Taylor & Francis Group.

<http://nebula.wsimg.com/eb4e16a81a7cf6a065633b4f77e9ec8e?...>

**Ben-Sasson, A., Carter, A., Briggs-Gowan, M.** (20 January 2009). Sensory Overresponsivity in Elementary School: Prevalence and Social-Emotional Correlates. Journal of Abnormal Psychology 37:705-716.

[http://www.spdfoundation.net/files/3214/2430/1324/Sensory\\_Over-Responsivity\\_in\\_Elementary\\_School\\_Prevalence\\_and\\_Social\\_Emotional\\_Correlates\\_2009.pdf](http://www.spdfoundation.net/files/3214/2430/1324/Sensory_Over-Responsivity_in_Elementary_School_Prevalence_and_Social_Emotional_Correlates_2009.pdf)

**Ahn, R., Miller, L., Milberger, S. & McIntosh, D.** (2004). Prevalence of Parents' Perceptions of Sensory Processing Disorders Among Kindergarten Children. American Journal of Occupational Therapy, 58, 297-293.

[http://www.spdfoundation.net/files/9614/2430/1228/ahn\\_miller.pdf](http://www.spdfoundation.net/files/9614/2430/1228/ahn_miller.pdf)

**Dr. Martin Pall** - "The major cause of the Autism epidemic." Focus For Health / Autism One Conference 2015

<https://www.youtube.com/watch?v=yydZZanRJ50>

Links Between EMFs and Autism: A Conversation with Cindy Sage and Dr. Martha Herbert CHE EMF Working Group Call 10 December 2013

[http://www.healthandenvironment.org/wg\\_calls/13091](http://www.healthandenvironment.org/wg_calls/13091)

**Lebovitz, R.** (March 1972). The Sensitivity of Portions of the Human Central Nervous System to "Safe" Levels of Microwave Radiation R-983-RC. Rand Corporation.

<http://nebula.wsimg.com/21279c12283cc48a9e52659e25b787f2?AccessKeyId=C501C49FC54756FE9C7A&disposition=0&alloworigin=1>

## Contact

National Association for Children and Safe Technology

[contact@nacst.org](mailto:contact@nacst.org)

--- End ---

Source	NACST
State/Province	California
Country	United States
Industry	<a href="#">Family</a>
Tags	<a href="#">Sensory Processing Disorder</a> , <a href="#">Wireless Radiation</a> , <a href="#">Children</a>
Link	<a href="https://prlog.org/12549769">https://prlog.org/12549769</a>



Scan this QR Code with your SmartPhone to-

- \* Read this news online
- \* Contact author
- \* Bookmark or share online